

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A device, comprising:

a tibia base plate comprising an upper surface, a lower surface and an outer perimeter side surface extending between said upper surface and said lower surface of said tibia base plate;

an insert comprising an upper surface, a lower surface and an outer perimeter side surface extending between said upper surface and said lower surface of said insert, said insert, adapted to be positioned above said base plate, said insert and said base plate having a first configuration, wherein said insert is ~~translationally~~ translationally fixed to said base plate and rotatable relative to said base plate; and

at least one removable pin having a first portion and a second portion, said first portion of said pin configured to engage an opening formed in said outer perimeter side surface of said base plate and said second portion of said pin configured to engage an opening formed in said outer perimeter side surface of said insert to thereby prevent relative rotation between said insert and said base plate.

Claim 2 (original): The device of claim 1, wherein said base plate is comprised of a metal.

Claim 3 (original): The device of claim 1, wherein said insert is comprised of a nonmetallic material.

Claims 4 and 5 (canceled)

Claim 6 (original): The device of claim 1, wherein at least a portion of said pin is secured in an opening in said base plate by at least one of a press-fit connection, a threaded connection, and a sintered connection.

Application Serial No. 10/771,887
Amendment After Final dated January 18, 2008
Reply to Final Office Action dated October 18, 2007

Claim 7 (previously presented): The device of claim 1, wherein said pin has an outer surface that is substantially flush with said outer perimeter side surface of one of said base plate and said insert.

Claims 8 and 9 (canceled)

Claim 10 (previously presented): The device of claim 1, wherein said openings in said tibia base plate and said insert are formed on anterior portions of said outer perimeter side surfaces of said base plate and said insert, respectively.

Claim 11 (original): The device of claim 1, wherein said pin has at least one of a circular, rectangular and square cross-sectional configuration.

Claim 12 (original): The device of claim 1, wherein said pin has a smooth exterior surface.

Claim 13 (original): The device of claim 1, wherein said pin has at least one projection formed on an exterior surface of said pin.

Claim 14 (original): The device of claim 1, wherein said pin is comprised of a metal.

Claim 15 (currently amended): A device, comprising:

a tibia base plate comprising an upper surface, a lower surface and an outer perimeter side surface extending between said upper surface and said lower surface of said tibia base plate;

an insert comprising an upper surface, a lower surface and an outer perimeter side surface extending between said upper surface and said lower surface of said insert, said insert adapted to be positioned above said base plate, said insert and said base plate having a first configuration, wherein said insert is ~~translationally~~ translationally fixed to said base plate and rotatable relative to said base plate; and

a removable means for preventing relative rotation between said insert and said base plate, wherein, when installed, a first portion of said removable means is configured to engage an opening formed in said outer perimeter side surface of said base plate and a second portion of said removable means is configured to engage an opening formed in said outer perimeter side surface of said insert to thereby prevent relative rotation between said insert and said base plate.

Claim 16 (original): The device of claim 15, wherein said removable means for preventing relative rotation between said insert and said base plate comprises a removable pin.

Claim 17 (canceled)

Claim 18 (original): The device of claim 15, wherein said base plate is comprised of a metal.

Claim 19 (original): The device of claim 15, wherein said insert is comprised of a nonmetallic material.

Claim 20 (canceled)

Claim 21 (previously presented): The device of claim 15, wherein said removable means for preventing relative rotation between said insert and said base plate has an outer surface that is substantially flush with said outer perimeter side surface of one of said base plate and said insert.

Claim 22 (original): The device of claim 15, wherein at least a portion of said removable means for preventing relative rotation between said insert and said base plate is secured in an opening in said base plate by at least one of a press-fit connection, a threaded connection, and a sintered connection.

Claim 23 (canceled)

Application Serial No. 10/771,887
Amendment After Final dated January 18, 2008
Reply to Final Office Action dated October 18, 2007

Claim 24 (previously presented): The device of claim 15, wherein said openings in said tibia base plate and said insert are formed on anterior portions of said outer perimeter side surfaces of said base plate and said insert, respectively.

Claim 25 (original): The device of claim 15, wherein said removable means for preventing relative rotation between said insert and said base plate has at least one of a circular, rectangular and square cross-sectional configuration.

Claim 26 (original): The device of claim 15, wherein said removable means for preventing relative rotation between said insert and said base plate has a smooth exterior surface.

Claim 27 (previously presented): The device of claim 15, wherein said removable means for preventing relative rotation between said insert and said base plate has at least one projection formed on an exterior surface of said removable means.

Claim 28 (original): The device of claim 15, wherein said removable means for preventing relative rotation between said insert and said base plate is comprised of a metal.

Claims 29-42 (canceled)